

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Day 7

Stool sample





FIGURE 1

Day 14

Stool sample



RC-14

FIGURE 2

000000-000000

The process of urinary tract and vaginal infection





FIGURE 3

Vaginal pathogens, such as *Gardnerella* dominate the flora possible by producing sialidase enzymes for example, and cause bacterial vaginosis. *Candida* yeast also do likewise



This invention thereby is the first to describe probiotics that are antagonistic to urinary pathogens in both the GI and Urogenital Tracts.

FIGURE 4

The Ingestion of Lactobacillus as a Treatment for some cases of Urinary Tract Infection




FIGURE 5

09070609-064104
F01130-50934860




FIGURE 6

FIGURE 7A Effect of 4 weeks of once daily oral treatment of *Lactobacillus* GR-1/RC-14 (UREX) on vaginal flora




FIG 7A 50982800

[illegible]